Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	177	(imag\$2 or pictur\$2 or fram\$2) with til\$2 same (discrete adj1 wavelet or "DWT")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/23 14:47
S2	1	S1 and (decod\$4 or decompress\$4)near3 (quantity or amount) with (compressed or encoded)near3 code	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/23 13:18
S3	5	S1 and (decod\$4 or decompress\$4)near3 (quantity or amount)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF <sub>.</sub>	2007/06/23 13:20
S4	134	S1 and (decod\$4 or decompress\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/23 13:21
S5	1	S4 and tile adj1 boundary near3 smoothing same low-pass	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/23 13:39
S6	1	S1 and tile adj1 boundary near3 smoothing same low-pass	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/23 13:23
S7	4	tile adj1 boundary near3 smoothing same low-pass	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/23 13:37
S8	2	S1 and ratio near5 decoding adj1 ( quantity or amount)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/23 13:25
S9	236	(discrete adj1 wavelet or "DWT")same til\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/23 13:48

6/23/07 6:00:57 PM

S10	1	S9 same tile adj1 boundary near3 smoothing same low-pass	US-PGPUB; USPAT; EPO; JPO;	OR	OFF	2007/06/23 13:38
			DERWENT; IBM_TDB			
S11	1	S9 and tile near3 boundary near7 smoothing same low-pass	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/23 13:38
S12	1	S9 and (til\$2 or band\$2 or block\$1) near3 boundary near3 smoothing same low-pass	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/23 13:40
S13		S9 and boundary near3 smoothing same low-pass	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/23 13:48
S14		boundary near3 smoothing same low-pass	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/23 13:43
S15	1	S14 and(discrete adj1 wavelet or * "DWT")same til\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/23 13:43
S16	1	S14 and(discrete adj1 wavelet or "DWT")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/23 13:43
S17	1	S9 and (boundary or edge) near3 smoothing same low-pass	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR ,	OFF	2007/06/23 13:54
S18	1448	(imag\$2 or pictur\$2 or fram\$2) same (discrete adj1 wavelet or "DWT")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/23 13:49
S19	5	S18 and (boundary or edge) near3 smoothing same low-pass	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/23 13:49

	<del></del>					
S20	973	(discrete adj1 wavelet or "DWT")same (til\$2 or band\$2 or subband\$1 or sub-band\$1 or sub adj1 band\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/23 13:55
S21	1	S20 and (boundary or edge) near3 smoothing same low-pass	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/23 13:56
S22	8867	382/232,233,236,238,239,240,245, 246,248,250,251,275.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/23 13:55
S23	357	S22 and(discrete adj1 wavelet or "DWT")same (til\$2 or band\$2 or subband\$1 or sub adj1 band\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/23 13:56
S24	1	S23 and (boundary or edge) near3 smoothing same low-pass	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/23 13:56
S25	1	S23 and (boundary or edge) near3 (smoothing or artifact\$2 adj1 removing) same low-pass	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/23 13:58
S26	1	S20 and (boundary or edge) near3 (smoothing or artifact\$2 adj1 removing) same low-pass	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/23 14:07
S27	1.	( image and decoding and tile and boundary and smoothing and distortion and image and low-pass and filter and boundary and smoothing and controlling and degree and smoothing and low-pass and filter and ratio and decoding and quantity and entire and quantity and compressed and code).clm.	US-PGPUB	AND	OFF	2007/06/23 14:01
S28	86	(boundary or edge) near7 (smoothing or artifact\$2 adj1 removing) same low-pass	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/23 14:13

			<u>-</u>	,	· · · · · · · · · · · · · · · · · · ·	
S29	1	S28 and ratio near3 (decod\$3 or decompress\$4)near3( quantity or amount)same (entire or whole)near3( quantity or amount)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/23 14:11
S30	1	S28 and ratio near3 (decod\$3 or decompress\$4)near3( quantity or amount)and (entire or whole)near3( quantity or amount)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/23 14:12
S31	1	S28 and (ratio or degree) with( quantity or amount) same (entire or whole)near3( quantity or amount)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/23 14:12
S32	1	S28 and (ratio or degree) with( quantity or amount) and (entire or whole)near3( quantity or amount)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/23 14:13
S33	10711	(ratio or degree) with( quantity or amount) and (entire or whole)near3( quantity or amount)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/23 14:41
S34	1	S33 and(boundary or edge) near7 (smoothing or artifact\$2 adj1 removing) same low-pass	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF .	2007/06/23 14:47
S35		S28 and (ratio or degree) with( quantity or amount)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/23 14:21
S36	1009	(ratio or degree) near10( quantity or amount) same (decod\$3 or decompress\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/23 14:22
S37	1	S36 and(boundary or edge) near7 (smoothing or artifact\$2 adj1 removing) same low-pass	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/23 14:22
S38	1	S36 and(boundary or edge) near7 (smoothing or artifact\$2 adj1 removing) and low-pass	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/23 14:23

6/23/07 6:00:57 PM

			•			•
S39	2	(smoothing or artifact\$2 adj1 removing) same ratio adj3 decod\$3 near3 (quantity or amount)same (whole or entire)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/23 14:27
S40	2	(smoothing or artifact\$2 adj1 removing) same (ratio or degree) adj3 decod\$3 near10 (quantity or amount)same (whole or entire)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/23 14:28
S41	1	(smoothing or artifact\$2 adj1 removing) same (ratio or degree) adj3 decod\$3 near10 (quantity or amount)same low-pass	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/23 14:29
S42		(smoothing or artifact\$2 adj1 removing) same (ratio or degree) adj3 decod\$3 near10 (quantity or amount)and low-pass	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/23 14:29
S43	2	(smoothing or artifact\$2 adj1 removing) same (ratio or degree) near3 decod\$3 near10 (quantity or amount)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/23 14:31
S44	14	(smoothing or artifact\$2 adj1 removing) and (ratio or degree) near3 decod\$3 near10 (quantity or amount)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/23 14:31
S45	1	S44 and (discrete adj1 wavelet or "DWT")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/23 14:32
S46	1	S28 and control\$5 with (ratio or degree) near5 smoothing	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/23 14:42
S47	1	S1 and control\$5 with (ratio or degree) near5 smoothing	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/23 14:42
S48	280	control\$5 with (ratio or degree) near5 smoothing	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/23 14:43

S49	2	control\$5 with (ratio or degree) near5 smoothing same ( quantity or amount)near5 decod\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/23 14:44
S50	1	S1 and(ratio or degree) near5 smoothing same ( quantity or amount)near5 decod\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/23 14:44
S51		(ratio or degree) near5 smoothing same ( quantity or amount)near5 decod\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/23 14:46
S52	191	control\$5 near5 (ratio or degree) near5 smoothing	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/23 14:46
S53	43	S52 and(boundary or edge) near7 (smoothing or artifact\$2 adj1 removing)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/23 14:47
S54	2	S53 and(discrete adj1 wavelet or "DWT")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/23 14:48
S55	5	S53 and(discrete adj1 wavelet or "DWT" or wavelet)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/23 14:48



Home | Login | Logout | Access Information

RELEASE 2.3	Welcome United States Pa	atent and Tradema	rk Office
Advanced Search	BROWSE	SEARCH	IEEE XPLORE GUIDE
OPTION 1 Enter keywords or phrases, select fie	elds, and select operators	? Help	<ul><li>» Publications</li><li>⑤ Select publications</li></ul>
AND T	in All Fields	<b>\$</b>	<ul><li>☑ IEEE Periodicals</li><li>☑ IET Periodicals</li><li>☑ IEEE Conference</li><li>☑ IET Conference P</li><li>☑ IEEE Standards</li></ul>
» Note: If you use all three search boxed take precedence over the entry in the th	s, the entries in the first two boxe lird box.	S	» Other Resources (Availa
OPTION 2 Enter keywords, phrases, or a Boolea wavelet <near 3=""> decoding ratio<near 3=""> smoothing</near></near>	and	② Help	» Standard Status (Applies to IEEE Standards Status All
quantity <near 3=""> coded</near>		Martiness (Martiness (	<ul> <li>Select date range</li> <li>Search latest content u</li> <li>From year All   ▼</li> </ul>
» Note: You may use the search operat	ors <and> or <or></or></and>		to 2003
without the start and end brackets <>.  » Learn more about Field Codes, Searce		<u>ors</u>	<ul><li>» Display Format</li><li>⑤ Citation</li><li>⑥ Citation</li></ul>
		•	» Organize results  Maximum 100   Display 25   Sort by Relevance  In Descending
			in Descending

indexed by inspec°

Help Contact Us

© Copyright 20



Home | Login | Logout | Access Information | Alerts |

#### Welcome United States Patent and Trademark Office

**®**■■Search Results

**BROWSE** 

Check to search only within this results set

**SEARCH** 

**IEEE XPLORE GUIDE** 

Results for "(((wavelet<near/3> decoding and ratio<near/3> smoothing and quantity<near/3> code..." Your search matched 0 documents.

☑e-mail

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

View Session History

New Search

**Modify Search** 

(((wavelet<near/3> decoding and ratio<near/3> smoothing and quantity<near/3> cod

» Key

**IET JNL** 

**IET CNF** 

IEEE JNL IEEE Journal or

Magazine

IET Journal or Magazine

IEEE CNF IEEE Conference

Proceeding

Proceeding

**IET Conference** 

No results were found.

**Display Format:** 

Please edit your search criteria and try again. Refer to the Help pages if you need assistan

search.

IEEE STD IEEE Standard

Help Contact Us Privacy & S

© Copyright 2006 IEEE -

Indexed by च्च Inspec